



# Contents

Introduction	3
Quick Start and Demo Scene	3
How to use the asset in your project  Option 1: Highlighting/customizing gameobjects  Option 2: Highlighting/customizing ANY gameobject automatically	4 4
Advanced Topics and Notes  Depth Clip option	5
Compatibility of transparent objects with depth clip option	5
Compatibility of see-through effect with transparent shaders	5
Static batching	5
Using scripting to add effects	5
Changing properties at runtime	6
Cancelling see-through effect behind certain objects	6
Setting profile at runtime	6
Events / reacting to selection	
Messages	7
Universal Rendering Pipeline compatibility	

#### Introduction

Thank you for purchasing!

**Highlight Plus** is a simple yet powerful package for adding outline, glow and other effects to your gameobjects.

We hope you find the asset easy and fun to use. Feel free to contact us for any enquiry.

Visit our Support Forum on <a href="https://kronnect.me">https://kronnect.me</a> for help and access to the latest beta releases.

#### **Kronnect Games**

Email: contact@kronnect.me

Kronnect Support Forum: <a href="http://www.kronnect.me">http://www.kronnect.me</a>

### Quick Start and Demo Scene

- 1. Import the asset into your project or create an empty project.
- 2. Go to Demo folder and run the demo scene to quickly test the asset effects.
- 3. Examine the code behind the script attached to the Demo game object.

The Demo scene contains 3 spheres with a Highlight Effect and Highlight Trigger scripts attached to each one. Each sphere has:

- The Highlight Effect script contains all the settings and appearance properties for the effects. If you activate the "Highlighted" checkbox, the effects will be rendered immediately.
- The Highlight Trigger component checks the position of the pointer and detected when it passes over the gameobject. When this occurs, it activates the "Highlighted" checkbox of the previous component and disables it when the pointer exits the gameobject.

Alternatively, you can create a "Highlight Manager" from the top menu GameObject -> Effects -> Highlight Plus -> Create Manager. This command will create a gameobject with the Highlight Manager script attached, responsible for detecting mouse interaction with any gameobject that matches the layer and other settings in the manager and highlight it accordingly.

### How to use the asset in your project

#### Option 1: Highlighting/customizing gameobjects

- Add HighlightEffect.cs script to any gameobject. Customize the appearance options.
- Optionally add HighlightTrigger.cs script to the gameobject. It will activate highlight on the gameobject when mouse pass over it. A collider must be present on the gameobject. Note: adding a HighlightTrigger.cs script to a gameobject will automatically add a HighlightEffect component.

In the Highlight Effect inspector, you can specify which objects, in addition to the parent, are also affected by the effects. The "**Include**" property in the inspector allows:

- a) Only this object
- b) This object and its children
- c) All objects from the root to the children
- d) All objects belonging to a layer

#### Option 2: Highlighting/customizing ANY gameobject automatically

- Select top menu GameObject -> Effects -> Highlight Plus -> Create Manager.
- Customize behaviour of Highlight Manager. Those settings wil be applied to any gameobject highlighted by the manager. But if a gameobject already has a HighlightEffect component, the manager will use those settings instead.

#### Ignoring specific gameobjects from highlighting

In addition to the "Include" options in the inspector, you can add a "Highlight Effect" component to the gameobject that you don't want to be highlighted and activate the "Ignore" checkbox.

If you're using the Highlight Manager, it also provides some filter options like Layer Mask.

## **Advanced Topics and Notes**

#### Depth Clip option

When using Outline or Outer Glow in high quality mode, the asset relies on the depth buffer to perform proper depth cull or depth clipping. However, when MSAA (integrated antialias) is enabled, the depth buffer is not available at the stage Highlight Plus renders. If you need MSAA in your project and wants depth clipping/culling, you can enable the "Depth Clip" option in the Highlight inspector. This option only is used when Outline or Outer Glow is set to High Quality (the other quality modes work differently and do not require special treatment).

#### Compatibility of transparent objects with depth clip option

The Depth Clip option is only available for Outline and Outer Glow in High Quality modes. When enabled, the special \_CameraDepthTexture buffer is used to clip the effect. This option is useful if you need to use MSAA since enabling MSAA disables depth checking in high quality mode.

Transparent objects do not write to this special texture unless you use this option in GameObject -> Effects -> Highlight Plus -> "Make Transparent Object Compatible With Depth Clip".

Once you add this feature to your transparent object, make sure you also have "Depth Clip" option enabled in the objects to be highlighted using Outline or Outer Glow in HQ mode.

#### Compatibility of see-through effect with transparent shaders

If you want the See-Through effect be seen through other transparent objects, their shaders need to be modified so they write to depth buffer (by default transparent objects do not write to z-buffer). To do so, select top menu GameObject -> Effects -> Highlight Plus -> "Add Depth To Transparent Object".

Note that forcing a transparent object to write to depth buffer will cause issues with transparency.

#### Static batching

Objects marked as "static" need a MeshCollider in order to be highlighted (other collider types won't work). This required because Unity combines the meshes of static objects so it's not possible to access to the individual meshes of non-batched objects.

Note: the MeshCollider can be disabled.

#### Using scripting to add effects

Use GetComponent<HighlightEffect>() to get a reference to the component of your gameobject. Most properties shown in the inspector can be accessed through code, for example:

```
using HighlightPlus;
...

HighlightEffect effect = myGameObject.GetComponetn<HighlightEffect>();
effect.outline = true;
effect.outlineColor = Color.blue;
effect.UpdateMaterialProperties();
```

### Changing properties at runtime

When changing specific script properties at runtime, call UpdateMaterialProperties() to ensure those changes are applied immediately.

# Cancelling see-through effect behind certain objects

Add HighlightSeeThroughOccluder script to the object you want to block see-through effects.

# Setting profile at runtime

Call ProfileLoad() or ProfileReload() methods of the HighlightEffect component and pass your highlight profile object.

#### Events / reacting to selection

Note: check SphereHighlightEventExample.cs script in the demo scene.

```
Example code:
```

```
using UnityEngine;
using HighlightPlus;

public class SphereHighlightEventExample : MonoBehaviour {
    void Start() {
        HighlightEffect effect = GetComponent<HighlightEffect> ();
        effect.OnObjectHighlightStart += ValidateHighlightObject;
    }

    bool ValidateHighlightObject(GameObject obj) {
        // Used to fine-control if the object can be highlighted; return false to cancel highlight
        return true;
    }
}
```

#### Messages

Highlight Effect will send the "HighlightStart" and "HighlightEnd" to any script attached to the gameobject when its highlighted (or highlight ends). You can get those messages using the following code:

```
using UnityEngine;
using HighlightPlus;

public class MyBehaviour : MonoBehaviour {
   void HighlightStart () {
       Debug.Log ("Object highlighted!");
   }

   void HighlightEnd () {
       Debug.Log ("Oject not highlighted!");
   }
}
```

# Universal Rendering Pipeline compatibility

URP support is limited in this package. A version of Highlight Plus designed for URP can be downloaded from our support forum on <a href="https://kronnect.me">https://kronnect.me</a>. Please sign up and send us an email with your username to get access to the private board.